ELSEVIER

Brain Research 819 (1999) 179–180

BRAIN RESEARCH

Author Index

Abe, K., see Warita, H. (819) 120
Aihara, Y., Maeda, T., Hanada, K. and Wakisaka, S.
Effects of morphine on the distribution of Fos protein in the trigeminal subnucleus caudalis neurons during experimental tooth movement of the rat molar (819) 48
Akkermans, L.M.A., see Bruijnzeel, A.W. (819) 15
Aluigi, G., see Ninfali, P. (819) 150
Ambler, S.J., see Hicks, C.A. (819) 65
Avgovstides-Savvopoulou, P., see Spandou, E. (819) 1

Baldwin, R.A., see Katsumori, H. (819) 160
Barbey, O., see Jamme, I. (819) 132
Biagiotti, E., see Ninfali, P. (819) 150
Breedlove, S.M., see Hegstrom, C.D. (819) 83
Bruijnzeel, A.W., Stam, R., Compaan, J.C., Croiset, G., Akkermans, L.M.A., Olivier, B. and Wiegant, V.M.
Long-term sensitization of Fos-responsivity in the rat central nervous system after a single stressful experience (819) 15
Bustos, S.G., see Lacerra, C. (819) 40

Card, J.P., see Leak, R.K. (819) 23
Charlemagne, D., see Jamme, I. (819) 132
Chase, M.H., see Xi, M.-C. (819) 155
Chen, W., see Hardy, P.A. (819) 33
Compaan, J.C., see Bruijnzeel, A.W. (819) 15
Croiset, G., see Bruijnzeel, A.W. (819) 15

Dadfar, F., see Schäfer, S.S. (819) 89
Darnall, R.A., see St.-John, W.M. (819) 147
Del Grande, P., see Ninfali, P. (819) 150
Dell, C.P., see Hicks, C.A. (819) 65
Dobson, D., see Hicks, C.A. (819) 65
Downie, J.W., see Duong, M. (819) 108
Du, H.-J., see Duong, M. (819) 108
Duong, M., Downie, J.W. and Du, H.-J.
Transmission of afferent information from urinary bladder, urethra and perineum to periaqueductal gray of cat (819) 108

Golden, P.L. and Pardridge, W.M.
P-glycoprotein on astrocyte foot processes of unfixed isolated human brain capillaries (819) 143
Guiba-Tziampiri, O., see Spandou, E. (819) 1
Guidi, L., see Ninfali, P. (819) 150

Hanada, K., see Aihara, Y. (819) 48
Hardy, P.A., Chen, W. and Wilce, P.A.
Chronic ethanol exposure and withdrawal influence NMDA receptor subunit and splice variant mRNA expression in the rat cerebral cortex (819) 33
Hecht, N.B., see Wu, X.Q. (819) 174
Hegstrom, C.D. and Breedlove, S.M.
Seasonal plasticity of neuromuscular junctions in adult male Siberian hamsters (*Phodopus sungorus*) (819) 83
Hicks, C.A., Ward, M.A., Ragumoorthy, N., Ambler, S.J., Dell, C.P., Dobson, D. and O'Neill, M.J.
Evaluation of glycine site antagonists of the NMDA receptor in global cerebral ischaemia (819) 65
Hori, S., see Yokota, M. (819) 8

Itoyama, Y., see Warita, H. (819) 120

Jamme, I., Barbey, O., Trouvé, P., Charlemagne, D., Maixent, J.-M., MacKenzie, E.T., Pellerin, L. and Nouvelot, A.
Focal cerebral ischaemia induces a decrease in activity and a shift in ouabain affinity of Na^+, K^+-ATPase isoforms without modifications in mRNA and protein expression (819) 132

Karkavelas, G., see Spandou, E. (819) 1
Katsumori, H., Baldwin, R.A. and Wasterlain, C.G.
Reverse transport of glutamate during depolarization in immature hippocampal slices (819) 160
Kikuchi, S., see Shinpo, K. (819) 170
Kim, J.-H. and Vezina, P.
Blockade of glutamate reuptake in the rat nucleus accumbens increases locomotor activity (819) 165

Lacerra, C., Martijena, I.D., Bustos, S.G. and Molina, V.A.
Benzodiazepine withdrawal facilitates the subsequent onset of escape failures and anhedonia: influence of different antidepressant drugs (819) 40
Leak, R.K., Card, J.P. and Moore, R.Y.
Suprachiasmatic pacemaker organization analyzed by viral transynaptic transport (819) 23
Li, A., see St.-John, W.M. (819) 147
Liu, R.-H., see Xi, M.-C. (819) 155
Loizidis, T., see Spandou, E. (819) 1

MacKenzie, E.T., see Jamme, I. (819) 132
Maeda, T., see Aihara, Y. (819) 48
Maitra, R. and Reynolds, J.N.
Subunit dependent modulation of $GABA_A$ receptor function by neuroactive steroids (819) 75
Maixent, J.-M., see Jamme, I. (819) 132
Martijena, I.D., see Lacerra, C. (819) 40
Matsubara, A., Takumi, Y., Nakagawa, T., Usami, S.-i., Shinkawa, H. and Ottersen, O.P.
Immunoelectron microscopy of AMPA receptor subunits reveals three types of putative glutamatergic synapse in the rat vestibular end organs (819) 58
Molina, V.A., see Lacerra, C. (819) 40
Moore, R.Y., see Leak, R.K. (819) 23
Morales, F.R., see Xi, M.-C. (819) 155
Moriwaka, F., see Shinpo, K. (819) 170

Nakagaki, I., see Yokota, M. (819) 8
Nakagawa, T., see Matsubara, A. (819) 58
Ninfali, P., Guidi, L., Aluigi, G., Biagiotti, E. and Del Grande, P.
High glucose-6-phosphate dehydrogenase activity contributes to the structural plasticity of periglomerular cells in the olfactory bulb of adult rats (819) 150
Nouvelot, A., see Jamme, I. (819) 132

Olivier, B., see Bruijnzeel, A.W. (819) 15
O'Neill, M.J., see Hicks, C.A. (819) 65
Ottersen, O.P., see Matsubara, A. (819) 58

Pardridge, W.M., see Golden, P.L. (819) 143
Pellerin, L., see Jamme, I. (819) 132
Petrusz, P., see Wu, X.Q. (819) 174

Ragumoorthy, N., see Hicks, C.A. (819) 65
Reynolds, J.N., see Maitra, R. (819) 75

Saido, T.C., see Yokota, M. (819) 8
Schäfer, S.S., Schuppan, O. and Dadfar, F.
The response of muscle spindle primary afferents to simultaneously presented sinusoidal and ramp-and-hold stretches (819) 89
Schuppan, O., see Schäfer, S.S. (819) 89
Shinkawa, H., see Matsubara, A. (819) 58
Shinpo, K., Kikuchi, S., Moriwaka, F. and Tashiro, K.
Protective effects of the TNF-ceramide pathway against glutamate neurotoxicity on cultured mesencephalic neurons (819) 170
Soubasi, V., see Spandou, E. (819) 1
Spandou, E., Karkavelas, G., Soubasi, V., Avgovstides-Savvopoulou, P., Loizidis, T. and Guiba-Tziampiri, O.

Effect of ketamine on hypoxic–ischemic brain damage in newborn rats (819) 1
St.-John, W.M., St. Jacques, R., Li, A. and Darnall, R.A.
Modulation of hypoxic depressions of ventilatory activity in the newborn piglet by mesencephalic mechanisms (819) 147
Stam, R., see Bruijnzeel, A.W. (819) 15
St. Jacques, R., see St.-John, W.M. (819) 147

Takumi, Y., see Matsubara, A. (819) 58
Tani, E., see Yokota, M. (819) 8
Tashiro, K., see Shinpo, K. (819) 170
Trouvé, P., see Jamme, I. (819) 132
Tsubuki, S., see Yokota, M. (819) 8

Usami, S.-i., see Matsubara, A. (819) 58

Vezina, P., see Kim, J.-H. (819) 165

Wakisaka, S., see Aihara, Y. (819) 48
Ward, M.A., see Hicks, C.A. (819) 65
Warita, H., Itoyama, Y. and Abe, K.
Selective impairment of fast anterograde axonal transport in the peripheral nerves of asymptomatic transgenic mice with a G93A mutant SOD1 gene (819) 120
Wasterlain, C.G., see Katsumori, H. (819) 160
Wiegant, V.M., see Bruijnzeel, A.W. (819) 15
Wilce, P.A., see Hardy, P.A. (819) 33
Wu, X.Q., Petrusz, P. and Hecht, N.B.
Testis–brain RNA-binding protein (Translin) is primarily expressed in neurons of the mouse brain (819) 174

Xi, M.-C., Liu, R.-H., Yamuy, J., Morales, F.R. and Chase, M.H.
Naloxone reduces the amplitude of IPSPs evoked in lumbar motoneurons by reticular stimulation during carbachol-induced motor inhibition (819) 155

Yamaura, I., see Yokota, M. (819) 8
Yamuy, J., see Xi, M.-C. (819) 155
Yokota, M., Tani, E., Tsubuki, S., Yamaura, I., Nakagaki, I., Hori, S. and Saido, T.C.
Calpain inhibitor entrapped in liposome rescues ischemic neuronal damage (819) 8